

Tzhone, Stephen

From: Tzhone, Stephen
Sent: Tuesday, June 04, 2013 10:22 AM
To: Mescher, Jean A; Moix, Mark
Cc: Moya, Ruben
Subject: RE: [FWD: Arkwood Results - 5/16/13]

Hi Jean,

Electronic attachment received, thanks.

Stephen L. Tzhone
Superfund Remedial Project Manager
214.665.8409
tzhone.stephen@epa.gov

From: Mescher, Jean A [<mailto:Jean.Mescher@McKesson.com>]
Sent: Tuesday, May 28, 2013 10:07 AM
To: Tzhone, Stephen; Moix, Mark
Cc: Moya, Ruben
Subject: FW: [FWD: Arkwood Results - 5/16/13]

Stephen and Mark,

Please see message below and attached analytical results for the 5/16/13 sampling at Arkwood.

Jean

From: jfleur@oxfordeands.com [<mailto:jfleur@oxfordeands.com>]
Sent: Thursday, May 23, 2013 7:16 PM
To: Mescher, Jean A
Subject: [FWD: Arkwood Results - 5/16/13]

Jean,

Attached is the May analytical report for the Arkwood Site. The results were consistent with recent months. The PCP concentration at the mouth was reported as 18.3 ug/L and the weir concentration was reported at <1.00 ug/L. Let m know if you have any questions or comments.

Best Regards,

Jim

James E. Fleer
Principal Engineer
Oxford Environmental and Safety, Inc.
913-706-3422
jfleur@oxfordeands.com

----- Original Message -----

Subject: Arkwood Results - 5/16/13

From: "Sydney James" <sjames@arkansasanalytical.com>

Date: Thu, May 23, 2013 6:22 pm
To: <jfleer@oxfordeands.com>

Arkansas Analytical Memorial Day Holiday Closing:

We will be closed Monday, 5/27/13, in observance of Memorial Day.

Thanks,
Sydney James Randles

11701 Interstate 30
Bldg. 1, Ste. 115
Little Rock, AR 72209
501-455-3233
501-455-6118 (fax)

Business Hours - Mon-Thur - 8am-5pm, Fri - 8am-4pm

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.